

## POWERED AIR PURIFYING RESPIRATOR (PAPR) DECLARATION FORM

**Powered Air Purifying Respirator (PAPR) Declaration Form**

The purpose of the Powered Air Purifying Respirator (PAPR) declaration form is to acknowledge your understanding of the requirements for respiratory protective equipment (RPE)/ Crystalline Silica Substances (CSS) as per AS/NZS 1715:2009.

The Sydney Metro West – Western Tunnelling Package (WTP), uses respiratory protection in the form of a PAPR or P2 disposable respirator. The Principal Contractor (PC), Gamuda-Laing O'Rourke Consortium (GLC), utilizes the 3M TR300 PAPR System and workers who wear the P2 disposable are fit tested for the Trident brand respirator.

Please see below on the mandatory requirements for the two respiratory protections:

PAPR	P2 Respirator
<p>Items required (as part of PAPR):</p> <ul style="list-style-type: none"><li>➤ Helmet</li><li>➤ Hose</li><li>➤ Powered Air System/Filters</li><li>➤ Battery</li><li>➤ Seals</li></ul> <p>Note: Prior to use, workers must check battery and filters.</p>	<ul style="list-style-type: none"><li>- Valid Fit Test record completed and uploaded on Avetta</li><li>- Must always be clean shaven as per company policy</li></ul>

If you are a full-time tunnel worker, as per the PAPR requirements of the project, you must always wear a PAPR underground.

This PAPR declaration acts as a fit test exemption and is valid for a period of one year from the date confirmed below. If an activity requires the use of a P2 Respirator, a fit test record must be uploaded, or an exemption must be escalated to site safety to confirm approval with site superintendent and project manager.

By signing the below, you are acknowledging the above requirements:

Worker signature	
Full name	
Position	
Date	
Signature	
Supervisor/Company Representative signature	
Full name	
Position	
Date	
Signature	